

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S115 and "707".CLASS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:56
		S111 and ((abstract near4 super\$1class) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:44
		S105 and \$class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:23
		S94 and combin\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 16:12
		S94 and combin\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 16:12
		S56 and \$sql\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:18
		S56 and \$3"sql"\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:18
		S56 and \$5"sql"\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:18
		S56 and \$5sql\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:18
		S56 and \$sql\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/29 13:09

L1	2014	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and 707/3-5. OCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/08 18:00
L2	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L3	1	L2 and superclass\$2 and subclass\$2 and atomic and condition\$1 and iterative\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L4	4	"multiple sql dialects"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/08 18:00
L5	1	("5428737").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L6	1	L5 and format\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L7	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L8	1	L7 and (type with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/08 18:00
L9	1	("5428737").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/08 18:00
L10	437	abstract near4 (super\$1class or sub\$1class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/08 18:00
L11	314	L10 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/08 18:00
L12	49	L11 and ((super\$1class or sub\$1class) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/08 18:00
S1	0	("9296821").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 07:36
S2	0	("9296821").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 10:49

S3	2	("6338056").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/30 10:49
S4	1	("6338056").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 10:52
S5	1	("5701456").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 10:53
S6	1	("6553371").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 10:56
S7	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 10:56
S8	1	S7 and superclass\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 10:56
S9	1	S7 and superclass\$2 and subclass\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 11:07
S10	1	S7 and superclass\$2 and subclass\$2 and atomic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 12:54
S11	1	S7 and superclass\$2 and subclass\$2 and atomic and condition\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 13:02
S12	1	S7 and superclass\$2 and subclass\$2 and atomic and condition\$1 and iterative\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 13:59
S13	1	S7 and superclass\$2 and subclass\$2 and atomic and condition\$1 and iterative\$1 and type\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/30 14:13
S14	4193	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve\$1) or (parent and child)) same (query or queries))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:15
S15	2212	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and "707".CLAS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:17
S16	1065	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and 707/3-5. CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:19

S17	1062	((hierarchy or hierarchy\$3 or (level\$1 and sub\$1level\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and (relationship\$1 or association\$3 or group\$3 or combination\$5) and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:23
S18	543	((hierarchy or hierarchy\$3 or (level\$1 and sub\$1level\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and (relationship\$1 or association\$3 or group\$3 or combination\$5) and operator\$1 and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:25
S19	115	((hierarchy or hierarchy\$3 or (level\$1 and sub\$1level\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and (relationship\$1 or association\$3 or group\$3 or combination\$5) and operator\$1 and leaf\$1 and tree\$1 and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:26
S20	148	((hierarchy or hierarchy\$3 or (level\$1 and sub\$1level\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries)) and (relationship\$1 or association\$3 or group\$3 or combination\$5) and operator\$1 and (leaf\$1 or leaves) and tree\$1 and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:28
S21	24	((hierarchy or hierarchy\$3 or (level\$1 and sub\$1level\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries) same (predicate\$1 or statement\$1)) and (relationship\$1 or association\$3 or group\$3 or combination\$5) and operator\$1 and (leaf\$1 or leaves) and tree\$1 and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 14:29
S22	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:01

S23	1	S22 and group\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:18
S24	1	("6775662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:18
S25	1	S24 and iterat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:20
S26	1	S24 and iterat\$3 and recursi \$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 13:30
S27	1	S22 and iterat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:33
S28	1	S24 and user\$10	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 14:50
S29	1	S22 and type\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 18:07
S30	1	("5428737").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 18:07
S31	0	("1and(\$3join \$3sametable)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 18:08
S32	1	S30 and (\$3join\$3 same table\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/03 18:08
S33	1	("6775662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:31
S34	0	("1and(typosameelement) anddialect").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:32
S35	0	S33 and (type\$1 same element\$1) and dialect\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:32
S36	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:43
S37	0	("4and(type\$1sameelement \$1)anddialect\$1").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 13:33
S38	1	S36 and (type\$1 same element\$1) and dialect\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:00
S39	1	S36 and equivalent	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:00
S40	1	S36 and dialect\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:35
S41	1	("5428737").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:35
S42	0	S41 and dialect\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:35
S43	0	S41 and syntax\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:36
S44	1	S41 and format\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:36
S45	0	("4andgeneric\$1").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:44

S46	1	S36 and generic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:44
S47	1	S36 and equivalent	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:45
S48	0	S36 and funcional\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:45
S49	1	S36 and functional\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 14:46
S50	1	S36 and (element same type same dialect)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 14:47
S51	1	S36 and (element same type) and dialect	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 14:47
S52	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 07:36
S53	1	S52 and gener\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 07:49
S54	1	S52 and (type\$1 same quer \$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 07:49
S55	1	(US-6775662-\$).did.	USPAT	OR	OFF	2006/08/13 15:53
S56	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/13 15:54
S57	1	S56 and connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:12
S58	1	S56 and generic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:13
S59	1	S56 and dialect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:18
S60	1	S56 and "sql"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:19
S61	0	S56 and mysql	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:19
S62	0	S56 and My\$1sql	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:20

S63	0	S56 and Mysql	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:20
S64	0	S55 and dialect\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:21
S65	1	S55 and (sql or mysql)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:24
S66	1	S55 and language	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:27
S67	3	(US-6775662-\$ or US-5428737-\$ or US-5421008-\$).did.	USPAT	OR	OFF	2006/08/13 16:28
S68	0	S67 and dialect\$1	USPAT	OR	ON	2006/08/13 16:28
S69	0	S67 and mysql	USPAT	OR	ON	2006/08/13 16:28
S70	0	"multiple sql dialects"	USPAT	OR	ON	2006/08/13 16:30
S71	0	(multiple with sql with dialect)	USPAT	OR	ON	2006/08/13 16:29
S72	4	"multiple sql dialects"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:31
S73	42	"sql dialects"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:31
S74	41	S73 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:32
S75	6	S74 and (node with tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:34
S76	0	S74 and (node with tree) and hierarch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/13 16:35
S77	1	("6775662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 10:17

S78	1	S77 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 10:17
S79	1	S77 and (stor\$3 with computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 10:18
S80	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 10:33
S81	1	S80 and type	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 10:34
S82	1	S80 and (type with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 10:38
S83	1	S80 and (generic with subclass\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 10:38
S84	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/14 19:22
S85	1	S84 and dialect	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:27
S86	1	("5761654").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/14 19:28
S87	1	S86 and dialect	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:29
S88	20	(different with sql with dialect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:30
S89	17	S88 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:30
S90	17	S89 and (node or tree or hierarch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:31

S91	9	S89 and (node or tree) and hierarch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/14 19:31
S92	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/15 13:56
S93	1	S92 and generic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/15 13:57
S94	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/20 16:11
S95	0	S94 and combination	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 16:11
S96	0	S94 and combinat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 16:12
S97	1	S94 and combin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 16:37
S98	1	S94 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 18:25
S99	1	S94 and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/20 18:25
S100	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/29 14:22
S101	1	S100 and (superclass or subclass)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/29 14:22
S102	1	(US-6775662-\$).did.	USPAT	OR	OFF	2007/10/30 14:20
S103	1	(US-6826557-\$).did.	USPAT	OR	OFF	2007/10/30 14:21
S104	1	("5428737").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/30 14:21

S105	3	S102 S103 S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/30 14:21
S106	1	S105 and class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:23
S107	0	S105 and \$6class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:37
S108	8	(US-20040103100-\$).did. or (US-6775662-\$ or US- 5428737-\$ or US-5421008- \$ or US-6826557-\$ or US- 6618719-\$ or US-6275818- \$ or US-5761654-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/10/30 14:37
S109	4	S108 and \$6class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:40
S110	395	abstract near4 (super \$1class or sub\$1class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:59
S111	304	S110 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:07
S112	2	S111 and ((abstract near4 super\$1class) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:06
S113	48	S111 and ((super\$1class or sub\$1class) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:47
S114	1	S111 and ((super\$1class or sub\$1class) same query same (statement or predicate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:54
S115	48	S111 and ((super\$1class or sub\$1class) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 14:54
S116	18	S111 and (abstract same super\$1class same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:02

S117	19	S115 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:00
S118	157	abstract near4 super\$1class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:00
S119	113	S118 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:00
S120	8	S119 and (707/3.CCLS. or 707/4.CCLS. or 707/5. CCLS.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:10
S121	0	S120 and (abstract same super\$1class same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:02
S122	178	(abstract near4 (super \$1class or class)) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:08
S123	116	S122 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:09
S124	260	(abstract near4 (super \$1class or class)) same (query or predicate or statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:09
S125	182	S124 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:09
S126	47	S125 and (abstract with (super\$1class or class) with (query or predicate or statement))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:12
S127	5	S126 and (707/3.CCLS. or 707/4.CCLS. or 707/5. CCLS.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:12
S128	5	S127 and query	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:12

S129	5	S127 and ((super\$1class or class) with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:28
S130	0	S129 and super\$1class and sub\$1class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:29
S131	4	S129 and sub\$1class	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/30 15:33
S132	1	("5664182").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/30 15:34
S133	1	(US-5577241-\$).did.	USPAT	OR	OFF	2007/10/31 12:34
S134	1	S133 and table	USPAT	OR	ON	2007/11/01 15:10
S135	1	(US-5577241-\$).did.	USPAT	OR	OFF	2007/11/01 15:48
S136	0	S135 and (table with (\$5class))	USPAT	OR	ON	2007/11/01 15:50
S137	0	S135 and (table with class)	USPAT	OR	ON	2007/11/01 15:50
S138	1	S135 and (table same class)	USPAT	OR	ON	2007/11/01 16:11
S139	1	S135 and interface	USPAT	OR	ON	2007/11/01 16:12
S140	1	S135 and (query with (interface or gui))	USPAT	OR	ON	2007/11/01 16:22
S141	0	S135 and ((seond\$3 or receiv\$3) with query with (interface or gui))	USPAT	OR	ON	2007/11/01 16:12
S142	0	S135 and ((send\$3 or receiv\$3) with query with (interface or gui))	USPAT	OR	ON	2007/11/01 16:12
S143	1	S135 and (retriev\$3 with query)	USPAT	OR	ON	2007/11/01 16:22
S144	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/05/20 15:36
S145	0	S144 and (computer \$1readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:37

S146	0	S144 and (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:37
S147	0	S144 and media	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:37
S148	1	S144 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:38
S149	1	S144 and (carrier or wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:40
S150	1	S144 and (carr\$4 or wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:41
S151	1	S144 and structure	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 15:42
S152	1	("6775662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/20 17:31
S153	1	S152 and iterat\$3 and recursi\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/20 17:31
S154	42	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve \$1) or (parent and child) or (class\$2 and sub\$1class \$2)) same (query or queries) same (predicate\$1 or statement\$1)) and (relationship\$1 or associat \$3 or group\$3 or combin \$5) and operator\$1 and (leaf\$1 or leaves) and tree \$1 and 707/3-5.OCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/20 18:15
S155	29	(different with sql with dialect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:15
S156	25	S155 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:15
S157	13	S156 and (node or tree) and hierarch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:15

S158	414	abstract near4 (super\$1class or sub\$1class)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:17
S159	309	S158 and @ad<"20030715"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:17
S160	48	S159 and ((super\$1class or sub\$1class) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/05/20 18:17
S161	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/04 20:51
S162	1	S161 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/04 20:52
S163	0	S161 and decentralized	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/04 20:52
S164	1	("6775662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/04 21:23
S165	1	S164 and iterat\$3 and recursi\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/04 21:23
S166	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/04 21:23
S167	1	S166 and superclass\$2 and subclass\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/04 21:23
S168	49	((hierarchy or hierarchi\$3 or (level\$1 and sub\$1leve\$1) or (parent and child) or (class\$2 and sub\$1class\$2)) same (query or queries) same (predicate\$1 or statement\$1)) and (relationship\$1 or associat\$3 or group\$3 or combin\$5) and operator\$1 and (leaf\$1 or leaves) and tree\$1 and 707/3-5.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/04 21:23
S169	1	("20050015363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/04 21:24

11/ 8/ 2008 6:01:16 PM

C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10620856.w.sp